



20020 Hickory Twig Way • Spring, Texas 77388

Phone: 1-877-857-2915 • **Fax:** 281-288-2870

Email: contact@terraboundsolutions.com • **Web:** www.terraboundsolutions.com

Age Group:

2-5 Years

Recommended Crew:

Minimum 1-2 People

Tools Required for Assembly:

T-30 TORX Bit

3/16" x 6" Drill Bit

Tape Measure

Level

High Speed 3/8" electric drill w/ clutch

Installation Time:

15 to 30 minutes

Concrete Required:

N/A

This space intentionally left blank.

Standard Hardware

5/16" x 5"
RSS Stainless




5/16" x 4"
RSS Stainless

5/16" x 3-1/8"
RSS Stainless

5/16" x 2-1/2"
RSS Stainless

1/4" x 2-1/2"
RSS Stainless

#10 x 2-1/2"
R4 Stainless



NOT TO SCALE!


Pre-Installation Check


Check off all items received, against the packing list. Notify your local sales representative immediately of any items that are missing or that may be damaged.

PLAYTOPIA, INC. IS NOT RESPONSIBLE
FOR ITEMS DISCOVERED MISSING
AFTER 72 HOURS FROM TIME OF
DELIVERY.


**PRE-DRILLING IS REQUIRED. ALL LOCATIONS WHERE
HARDWARE IS TO BE FASTENED REQUIRES PRE-
DRILLING TO ENSURE PROPER INSTALLATION AND
STRUCTURAL INTEGRITY. WE ARE NOT RESPONSIBLE
FOR INSTALLATION OR STRUCTURAL ISSUES THAT
ARISE FROM NOT PRE-DRILLING ATTACHMENTS.**

This space intentionally left blank.






Locate the porch posts and fasten them to the porch as shown below, using (4) 5/16" x 3-1/8" RSS SS Screws.



Once posts are fastened, slide porch up against CozyTown Playhouse and fasten together underneath the platforms with (3) 5/16" x 3-1/8" RSS SS Screws.



With the porch and posts in place place the picket walls between the playhouse wall and porch post and fasten with (4) 3-1/8" RSS SS screws per picket wall into the wall of the playhouse and into the posts.

