# SOLUTIONS.

### Speed Tables

All speed tables are designed for easy installation and to be maintenance-free. Each module has been carefully designed to ensure that all pieces fit together without difficulty. The surfaces of our product exhibits a high quality appearance with no loose material or fiber-like finishes. Quality, value and safety are just a few of the many goals we set for our products.

Asphalt speed bumps and speed humps are rarely consistent heights. They require road closures for installation or maintenance and are normally removed for road or pavement repairs. Then are reinstalled causing additional road closures, delays and expenses.

Our products do not require road closures for installation of for removal. They do not require heavy equipment, large crews or the difficulties associated with delivering proper quantities to the job site in a timely fashion. They can be easily installed as a permanent fixture, a temporary test or for work zone safety. This versatility is highly cost effective.

Asphalt speed reducers cause havoc with low riding vehicles and usually slow critical emergency vehicle response time. Our speed tables are a consistent 3" in height and are designed to have


no effect on low riding vehicles. **Minimal Effect if any, on Emergency Vehicle Response Time!** 

#### **Features:**

- Neighborhood, bicycle, motorcycle and skateboard friendly
- Versatile arrow configurations
- Modules connect with a propriety dog bone, no interlocking puzzle pieces
- Modular design for custom sizing

   widths and lengths
- Longest warranty on the market

- Effectively slow traffic without damaging tires or vehicles.
- 100% Post Consumer Recycled Tire Rubber
- Speed Slots for Emergency Vehicles
- Patented
- Made in U.S.A.






### **Speed Table Specifications**





19ft. 10in. x 10ft.



### Can be custom configured for your street!

#### **Layout Examples**

#### 45 pc - 19ft. 10in. X 10ft

- 2 RKP-RC (RT CORNERS 15" X 40" )
- 2 RKP-LC (LT CORNERS 15" X 40")
- 2 RKP-SE (SIDE EXTENSIONS 15" x 40")
- 20 RKP-C (CENTER RAMPS 16" X 40" )
- 6 RKP-CA (ARROW RAMPS 16" X 40")
- 13 RKP-CE (CENTER EXTENSIONS 16" x 40") .

#### 68 pc - 22ft. 6in. x 13ft 4in.

- 2 RKP-RC (RT CORNERS 15" X 40" ) .
- 2 RKP-LC (LT CORNERS 15" X 40") .
- 4 RKP-SE (SIDE EXTENSIONS 15" x 40")
- 22 RKP-C (CENTER RAMPS 16" X 40" ) .
- 8 RKP-CA (ARROW RAMPS 16" X 40")
- 30 RKP-CE (CENTER EXTENSIONS 16" x 40") .

#### 105 pc - 27.8ft. x 16.7ft.

- 2 RKP-RC (RT CORNERS 15" X 40") .
- 2 RKP-LC (LT CORNERS 15" X 40" ) .
- 6 RKP-SE (SIDE EXTENSIONS 15" x 40")
- 30 RKP-C (CENTER RAMPS 16" X 40" )
- 8 RKP-CA (ARROW RAMPS 16" X 40")
- 57 RKP-CE (CENTER EXTENSIONS 16" x 40")

Hardware: Installation Hardware Kit, includes stainless steel lag bolts, washers, rubber caps, anchors, connectors and adhesive

#### 22ft. 6in x 13ft. 4in.

## 13ft. 4in. 22ft. 6in.

Optional Directional Arrows are imbedded into material during manufacturing.

White is primary color, Yellow is available.


Arrows measure 16'W x 27"H

27.8ft x 16.7ft



White is primary color. Yellow is available.

Arrows measure 16"W x 27"H



278ft